

# Product datasheet

Pendant lamp, Ksora, 220-240V AC/50-60Hz, 1x max. 28,00 W

## Technical Data

### General Characteristics

Material	glass
Colour	
Optics	clear / transparent
included in delivery	2x screws with dowels




### Electrical Characteristics

Power	1x max. 28,00 W
Input voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	G9
Number of bases	1
Power supply unit	
Electronically reversible	dimmable via optional bulb
Connection possibility	clamp
Protection class I, II, III	I



# Product datasheet

Pendant lamp, Ksora, 220-240V AC/50-60Hz, 1x max. 28,00 W



## Light Direction

Rotating and tilting range
Angle of inclination
Radiation direction
Reflector / lense

## Dimensions & Weight

Length	
Width	
Height	
Diameter	120 mm
Suspensions from ceiling	1,20 m
Product Weight	1100 g

## Base dimensions

Length	
Width	
Height	25 mm
Diameter	100 mm

# Product datasheet

---

Pendant lamp, Ksora, 220-240V AC/50-60Hz, 1x max. 28,00 W

## Absolute maximum ratings

Working temperature	-5°C - +40°C
Storage temperature	-10°C - +40°C
IP - Code	IP 20

---

### EEI

The luminaire is suitable for lamps of energy efficiency classes A++ to E.

---

### IP 20

Protection against penetration of foreign objects > 50 mm. No protection against penetration of water.



Lightings of Protection Class I  
in which the protection against electric shock is not based solely on isolation, but an additional safety measure contains such a way that accessible conductive parts are equipped with means for connection to the protective conductor of the fixed installation, so that in case of failure of the basic insulation exposed conductive parts cannot be active.