

# Product datasheet

Wall- / Ceiling lamp, Syrma Oval White, white, 220-240V AC/50-60Hz, 1x max. 42,00 W

## Technical Data

### General Characteristics

Material	plastic / glass
Colour	white
Optics	/ clear / transparent
included in delivery	cable hose, 2x caps



### Electrical Characteristics

Power	1x max. 42,00 W
Input voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	E27
Number of bases	1
Power supply unit	
Electronically reversible	dimnable via optional bulb
Connection possibility	clamp
Protection class I, II, III	I

## Product datasheet

---

Wall- / Ceiling lamp, Syrma Oval White, white, 220-240V AC/50-60Hz, 1x max. 42,00 W

### Light Direction

Rotating and tilting range	fixed
Angle of inclination	
Radiation direction	
Reflector / lense	asymmetrisch

### Dimensions & Weight

Length	180,00
Width	125,00
Height	105,00
Diameter	0,00
Suspensions from ceiling	0,00
Product Weight	411 g

### Base dimensions

Length	155,00
Width	125,00
Height	35,00
Diameter	0,00

---

## Product datasheet

---

Wall- / Ceiling lamp, Syrma Oval White, white, 220-240V AC/50-60Hz, 1x max. 42,00 W

### Absolute maximum ratings

Working temperature	
Storage temperature	
IP - Code	IP44

---

EEI	The luminaire is suitable for lamps of energy efficiency classes A++ to E.
-----	--

---

IP44	Protection against penetration of foreign objects > 1 mm. Protection against penetration of splashing water.
------	--



Lightings of Protection Class I in which the protection against electric shock is not based solely on isolation, but an additional safety measure contains such a way that accessible conductive parts are equipped with means for connection to the protective conductor of the fixed installation, so that in case of failure of the basic insulation exposed conductive parts cannot be active.

---