

Product datasheet

Track system 3-Phases 230V, Studio PAR 30, black, 220-240V AC/50-60Hz, 1x max. 42,00 W



Technical Data

General Characteristics

Material	aluminum
Colour	black
Optics	
included in delivery	incl. 3-phase adapter bandoor & atomizing filter

Electrical Characteristics

Power	1x max. 42,00 W
Input Voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	E27
Number of Bases	1
Power supply unit	
Connection possibility	adapter
Protection class I, II, III	I



Product datasheet

Track system 3-Phases 230V, Studio PAR 30, black, 220-240V AC/50-60Hz, 1x max. 42,00 W

Light Direction


Rotating and tilting range	rotatable-swivel
Angle of inclination	
Radiation direction	
Reflector / lense	symmetrisch

Dimensions & Weight

Length	270,75 mm
Width	
Height	158,77 mm
Diameter	
Product Weight	432 g

Absolute maximum ratings

Working temperature	-5°C - +40°C
Storage temperature	-10°C - +40°C
IP - Code	IP20



EEI

The luminaire is suitable for lamps of energy efficiency classes A++ to E.

IP20

Protection against penetration of foreign objects > 50 mm. No protection against penetration of water.



Lightnings of Protection Class I

in which the protection against electric shock is not based solely on isolation, but an additional safety measure contains such a way that accessible conductive parts are equipped with means for connection to the protective conductor of the fixed installation, so that in case of failure of the basic insulation exposed conductive parts cannot be active.



Because of the complex manufacturing process of the LED the above shown data are just a statistical size, which is not forced to be the realistic data of every LED.